

1	Choice	1
1.1	full example & quick example	1
1.2	example with answer	2
1.3	example with script	3
1.4	adjust style	3
1.5	inline choice	4
1.6	multichoice	5
1.7	more instance	6
1.8	point calculation	6
2	Question	7
2.1	question & problem	7
2.2	True/False questions	8
2.3	example with answer	8
2.4	fillin	10
3	Material	12
4	Close	13
5	answer box	14
6	Score	15
1	More Test	17

## 1 Choice

### 1.1 full example & quick example

---



---

**EXAMPLE**

---



---

```

\startquestion
This is the question stem of the selection question.
\startchoice
  \startcitem Choice One   \stopcitem
  \startcitem Choice Two   \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four  \stopcitem
\stopchoice
\stopquestion

\question{This is the question stem of the selection question.
  \choice{Choice One,Choice Two,Choice Three,Choice Four}
}

\start
\startquestion
This is the question stem of the selection question.
\startchoice[8]
  \startcitem Choice One   \stopcitem
  \startcitem Choice Two   \stopcitem
  \startcitem Choice Three \stopcitem
  \startcitem Choice Four  \stopcitem
\stopchoice
\stopquestion

\question{This is the question stem of the selection question.
  \choice[8]{Choice One,Choice Two,Choice Three,Choice Four}
}

```

\stop

---

1. This is the question stem of the selection question.  
A. Choice One      B. Choice Two      C. Choice Three      D. Choice Four
2. This is the question stem of the selection question.  
A. Choice One      B. Choice Two      C. Choice Three      D. Choice Four
3. This is the question stem of the selection question.  
☐ Choice One      ☐ Choice Two      ☐ Choice Three      ☐ Choice Four
4. This is the question stem of the selection question.  
☐ Choice One      ☐ Choice Two      ☐ Choice Three      ☐ Choice Four

## 1.2 example with answer

---

**EXAMPLE**

---

```

\startquestion[reference=Q,
                showanswer=true,
                showpoint=true,
                point=4,
                answer=Q]
This is the question stem of the selection question \fillin{Answer Q}.
\startchoice
  \startcitem    Choice One    \stopcitem
  \startcitem    Choice Two    \stopcitem
  \startcitem[*] Choice Three  \stopcitem
  \startcitem    Choice Four   \stopcitem
\stopchoice
\startanswer
This is a detailed explanation of this topic.
It should be noted that the answer will be overwritten by the next answer.
Three answers are set for this question, but only the last answer will be selected in the end.
\stopanswer
\stopquestion

\question[reference=QQ,
          showanswer=true,
          showpoint=true,
          point=4,
          answer=QQ]
{This is the question stem of the selection question.\fillin{Answer QQ}.
\choice{Choice One,Choice Two,Choice Three,{[*]Choice Four}}
\startanswer
This is a detailed explanation of this topic.
It should be noted that the answer will be overwritten by the next answer.
Three answers are set for this question, but only the last answer will be selected in the end.
\stopanswer
}

```

---

5. (4pts) (answer:C) This is the question stem of the selection question Answer Q.  
A. Choice One      B. Choice Two      C. **Choice Three**      D. Choice Four

*(answer:C)(4pts)*

*This is a detailed explanation of this topic. It should be noted that the answer will be overwritten by the next answer. Three answers are set for this question, but only the last answer will be selected in the end.*

6. (4pts) (answer:D) This is the question stem of the selection question. Answer QQ.  
A. Choice One      B. Choice Two      C. Choice Three      D. **Choice Four**

(answer:D)(4pts)

*This is a detailed explanation of this topic. It should be noted that the answer will be overwritten by the next answer. Three answers are set for this question, but only the last answer will be selected in the end.*

### 1.3 example with script

---

#### EXAMPLE

---

```
\startquestion[reference=Q,
  showpoint=true,
  point=4,
  answer=Q]

This is the question stem of the selection question \fillin{Answer Q}.
```

```
\startchoice
  \startcitem    Choice One    \stopcitem
  \startcitem    Choice Two    \stopcitem
  \startcitem[*] Choice Three  \stopcitem
  \startcitem    Choice Four   \stopcitem
\stopchoice
```

```
\startanswer[showsript=true,showanswer=false,
  scriptcontent={\centerline{\lightgray\ss WRITE YOUR ANSWER HERE.}\par
    \null\vskip2\baselineskip\relax}]

This is a detailed explanation of this topic.
It should be noted that the answer will be overwritten by the next answer.
Three answers are set for this question, but only the last answer will be selected in the end.
\stopanswer
\stopquestion

\question[showpoint=true,point=4,]
  {This is the question stem of the selection question.\relax
  \choice{Choice One,Choice Two,Choice Three,Choice Four}}
\startanswer[showsript=true,frame=off,scriptcontent=\null\blank[3*line]]

\stopanswer

\question[showpoint=true,point=4,]
  {This is the question stem of the selection question.\relax
  \choice{Choice One,Choice Two,Choice Three,Choice Four}}
```

---

7. (4pts) This is the question stem of the selection question \_\_\_\_\_.  
 A. Choice One      B. Choice Two      C. Choice Three      D. Choice Four

WRITE YOUR ANSWER HERE.

8. (4pts) This is the question stem of the selection question.  
 A. Choice One      B. Choice Two      C. Choice Three      D. Choice Four

9. (4pts) This is the question stem of the selection question.  
 A. Choice One      B. Choice Two      C. Choice Three      D. Choice Four

### 1.4 adjust style

---

#### EXAMPLE

---

```

\startquestion[style=ss,pointlabel={total , pts},point=2,showpoint=true]
This is the question stem of the selection question.
\startchoice[style=tt,color=red]
\startcitem Choice One \stopcitem
\startcitem Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopchoice
\stopquestion

\startquestion[answerstyle=tt,answercolor=darkred,
point=2,
pointstyle=tt, pointcolor=darkred,
textstyle=ss,textcolor=blue,
showpoint=true,showanswer=true]
This is the question stem of the selection question.
\startchoice[answerstyle=\tt,answercolor=green,textstyle=rm,textcolor=darkred,]
\startcitem Choice One \stopcitem
\startcitem Choice Two \stopcitem
\startcitem[*] Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopchoice
\stopquestion

```

---

10. (total 2 pts) This is the question stem of the selection question.  
 A. Choice One      B. Choice Two      C. Choice Three      D. Choice Four
11. (2pts) (answer:C) This is the question stem of the selection question.  
 A. Choice One      B. Choice Two      C. Choice Three      D. Choice Four

## 1.5 inline choice

---

### EXAMPLE

---

```

\startquestion
This is the question stem of the selection question.\relax
\startinlinechoice
\startcitem Choice One \stopcitem
\startcitem Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopinlinechoice
\stopquestion

\question{This is the question stem of the selection question.\relax
\inlinechoice{Choice One,Choice Two,Choice Three,Choice Four}
}

\startquestion[showanswer=true]
This is the question stem of the selection question.\relax\break
\startinlinechoice
\startcitem[*] Choice One\stopcitem
\startcitem Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax\break\hfill
\inlinechoice{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}

```

---

12. This is the question stem of the selection question. (☐ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four )
13. This is the question stem of the selection question. (☐ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four )

14. (answer:Choice One)This is the question stem of the selection question.  
☒ Choice One, ☐ Choice Two, ☐ Choice Three, ☐ Choice Four )
15. (answer:Choice Two)This is the question stem of the selection question.  
☐ Choice One, ☒ Choice Two, ☐ Choice Three, ☐ Choice Four )

---

#### EXAMPLE

---

```
\startquestion
This is the question stem of the selection question.\relax
\startchoice[vertical,text] []
\startcitem Choice One \stopcitem
\startcitem[*] Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopchoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
\choice[vertical,text] [] {Choice One,{[*]Choice Two},Choice Three,Choice Four}
}

\definechoice[newinlinechoice] [inlinechoice=true,correctsymbol=default]
\startquestion
This is the question stem of the selection question.\relax
\startnewinlinechoice
\startcitem Choice One \stopcitem
\startcitem[*] Choice Two \stopcitem
\startcitem Choice Three \stopcitem
\startcitem Choice Four \stopcitem
\stopnewinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
\newinlinechoice{Choice One,{[*]Choice Two},Choice Three,Choice Four}
}
```

---

16. This is the question stem of the selection question.A. Choice One B. Choice Two  
 C. Choice Three D. Choice Four
17. (answer:B)This is the question stem of the selection question.A. Choice One B. **Choice Two**  
 C. Choice Three D. Choice Four
18. This is the question stem of the selection question.A. Choice One B. Choice Two  
 C. Choice Three D. Choice Four
19. (answer:Choice Two)This is the question stem of the selection question.A. Choice One B. **Choice Two**  
 C. Choice Three D. Choice Four

---

## 1.6 multichoice

---

#### EXAMPLE

---

```
\startquestion[showanswer=true]
This is the question stem of the selection question.\relax
\startchoice
\startcitem[*] Choice One\stopcitem
\startcitem Choice Two\stopcitem
\startcitem[*] Choice Three\stopcitem
\startcitem Choice Four\stopcitem
\stopchoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
\choice{[*]Choice One},{[*]Choice Two},Choice Three,Choice Four}
}
```

```

\startquestion[showanswer=true]
  This is the question stem of the selection question.\relax
  \startinlinechoice
    \startcitem[*] Choice One\stopcitem
    \startcitem Choice Two\stopcitem
    \startcitem[*] Choice Three\stopcitem
    \startcitem Choice Four\stopcitem
  \stopinlinechoice
\stopquestion

\question[showanswer=true]{This is the question stem of the selection question.\relax
  \inlinechoice{Choice One,{[*]Choice Two},Choice Three,{[*]Choice Four}}
}

```

---

20. (answer:A,c) This is the question stem of the selection question.  
 A. **Choice One**      B. Choice Two      C. **Choice Three**      D. Choice Four
21. (answer:A,B) This is the question stem of the selection question.  
 A. **Choice One**      B. **Choice Two**      C. Choice Three      D. Choice Four
22. (answer:Choice One,Choice Three) This is the question stem of the selection question.  
 (☒ **Choice One**, ☐ Choice Two, ☒ **Choice Three**, ☐ Choice Four )
23. (answer:Choice Two,Choice Four) This is the question stem of the selection question.  
 (☐ Choice One, ☒ **Choice Two**, ☐ Choice Three, ☒ **Choice Four** )

## 1.7 more instance

---

### EXAMPLE

---

```

\definechoice[choiceexample]
\setupchoice
  [choiceexample]
  [option={text,6,packed,joinedup,nowwhite,},
  inlinechoice=true,
  correctsymbol={\symbol{markcirclecheck}},
  inlineleft={!!\nobreak},
  inlineright={\nobreak !!},
  answerstyle=\ss,
  separator={\removeunwantedspaces,\space},]

\startquestion[showanswer=true]
  This is the question stem of the selection question.\relax
  \startchoiceexample
    \startcitem[*] Choice One\stopcitem
    \startcitem Choice Two\stopcitem
    \startcitem[*] Choice Three\stopcitem
    \startcitem Choice Four\stopcitem
  \stopchoiceexample
\stopquestion

```

---

24. (answer:Choice One,Choice Three) This is the question stem of the selection question.!!☒ **Choice One**, ☐ Choice Two, ☒ **Choice Three**, ☐ Choice Four !!

## 1.8 point calculation

---

### EXAMPLE

---

```

\dorecurse{5}{\question[point=1,showpoint=true]{AXXA\choice{XXX,YYY,ZZZ}}}

```

---

25. (1pts) AXXA  
 A. XXX      B. YYY      C. ZZZ

26. (1pts) AXXXXA  
 A. XXX B. YYY C. ZZZ
27. (1pts) AXXXXA  
 A. XXX B. YYY C. ZZZ
28. (1pts) AXXXXA  
 A. XXX B. YYY C. ZZZ
29. (1pts) AXXXXA  
 A. XXX B. YYY C. ZZZ

## 2 Question

### 2.1 question & problem

---

EXAMPLE

---

```

\startquestion[start=1,option={n,packed,joinedup,nowhite},]
This is the main part of the question.
\stopquestion

\question
{This is the main part of the question.}

\startquestion
This is the main part of the question.
  \startquestion
    This is the main part of the question.
    \startquestion
      This is the main part of the question.
    \stopquestion
  \stopquestion
\startquestion
  This is the main part of the question.
  \startquestion
    This is the main part of the question.
  \stopquestion
\startquestion
  This is the main part of the question.
  \startquestion
    This is the main part of the question.
  \stopquestion
\startquestion
  This is the main part of the question.
  \startquestion
    This is the main part of the question.
  \stopquestion
\stopquestion
\stopquestion

\startquestion
This is the main part of the question.
  \startproblem
    \startpitem This is the first small question.\stoppitem
    \startpitem This is the second small question.\stoppitem
  \stopproblem
\stopquestion

\question
{This is the main part of the question.
  \problem[textstyle=ss]
  {\pitem{This is the first small question.}
  \pitem{This is the second small question.}
}
}

```

---

1. This is the main part of the question.
2. This is the main part of the question.

3. This is the main part of the question.
  1. This is the main part of the question.
    1. This is the main part of the question.
    2. This is the main part of the question.
    3. This is the main part of the question.
  2. This is the main part of the question.
    1. This is the main part of the question.
    2. This is the main part of the question.
    3. This is the main part of the question.
4. This is the main part of the question.
  - (1) This is the first small question.
  - (2) This is the second small question.
5. This is the main part of the question.
  - (1) This is the first small question.
  - (2) This is the second small question.

## 2.2 True/False questions

### EXAMPLE

```
\startquestion
This is the main part of the question.
  \startproblem
  \startpitem \fillin{} This is the first small question.\stoppitem
  \startpitem \fillin{} This is the second small question.\stoppitem
  \stopproblem
\stopquestion

\start
\setupfillin[empty=none,style=\tta]
\startquestion
This is the main part of the question.
  \startproblem
  \startpitem \fillin{T} This is the first small question.\stoppitem
  \startpitem \fillin{F} This is the second small question.\stoppitem
  \startpitem This is the first small question.\hfill\fillin{\symbol{markcheck}}\stoppitem
  \startpitem This is the second small question.\hfill\fillin{\symbol{markcross}}\stoppitem
  \stopproblem
\stopquestion
\stop
```

6. This is the main part of the question.
  - (1) \_\_\_\_\_ This is the first small question.
  - (2) \_\_\_\_\_ This is the second small question.
7. This is the main part of the question.
  - (1)   T   This is the first small question.
  - (2)   F   This is the second small question.
  - (3) This is the first small question.
  - (4) This is the second small question.

  ✓    
  X  

## 2.3 example with answer

### EXAMPLE

```
\setupquestion[showanswer=true,showpoint=true,point=1]
\setupanswer [showanswer=true,showpoint=true]
\startquestion[start=1,option={n,packed,joinedup,nowhite},answer=aaa]
```



```

This is the main part of the question.
\startanswer This is a detailed explanation of this topic.\stopanswer
\stopquestion

\question[answer=bbb]
{This is the main part of the question.}
\startanswer This is a detailed explanation of this topic.\stopanswer

\startquestion
This is the main part of the question.
  \startproblem
  \startpitem[answer=eee]
  This is the first small question.
  \startanswer This is a detailed explanation of this topic.\stopanswer
  \stopitem
  \startpitem[answer=fff]
  This is the second small question.
  \startanswer This is a detailed explanation of this topic.\stopanswer
  \stopitem
  \stopproblem
\stopquestion

\question
{This is the main part of the question.
  \problem[textstyle=ss]
  {\pitem[answer=ggg]{This is the first small question.}
  \startanswer This is a detailed explanation of this topic.\stopanswer
  \pitem[answer=hhh]{This is the second small question.}
  \startanswer This is a detailed explanation of this topic.\stopanswer
  \pitem[answer=iii]{This is the second small question.}
  \startanswer This is a detailed explanation of this topic.\stopanswer
  }
}

```

---

1. (1pts) (answer:aaa) This is the main part of the question.

(answer:aaa)(1pts)  
This is a detailed explanation of this topic.

2. (1pts) (answer:bbb) This is the main part of the question.

(answer:bbb)(1pts)  
This is a detailed explanation of this topic.

3. (2pts) (answer:eee) This is the main part of the question.

- (1) (1pts) (answer:eee) This is the first small question.

(answer:eee)(1pts)  
This is a detailed explanation of this topic.

- (2) (1pts) (answer:fff) This is the second small question.

(answer:fff)(1pts)  
This is a detailed explanation of this topic.

4. (3pts) (answer:ggg) This is the main part of the question.

- (1) (1pts) (answer:ggg) This is the first small question.

(answer:ggg)(1pts)

*This is a detailed explanation of this topic.*

(2) (1pts)(answer:hhh) This is the second small question.

*(answer:hhh)(1pts)*

*This is a detailed explanation of this topic.*

(3) (1pts)(answer:iii) This is the second small question.

*(answer:iii)(1pts)*

*This is a detailed explanation of this topic.*

## 2.4 fillin

5. Lorem ipsum dolor sit amet,

(1) Lorem ipsum dolor sit amet, 10

(2) Lorem ipsum dolor sit amet, 11

(3) Lorem ipsum dolor sit amet, 12

(4) Lorem ipsum dolor sit amet, 13

(5) Lorem ipsum dolor sit amet, \_\_\_\_\_

(6) Lorem ipsum dolor sit amet, \_\_\_\_\_

(7) Lorem ipsum dolor sit amet, \_\_\_\_\_

(8) Lorem ipsum dolor sit amet, \_\_\_\_\_

(9) Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

(10) Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

(11) Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

(12) Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

6. (29pts)(answer>Lorem ipsum,the real answer 1,Lorem ipsum,the real answer 2) Lorem ipsum dolor sit amet,

(1) (5pts)(answer>Lorem ipsum,the real answer 1,Lorem ipsum,the real answer 2) Lorem ipsum dolor sit amet, Lorem ipsum,the real answer 1 Lorem ipsum,the real answer 2

(2) (2pts)(answer>Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer>Lorem ipsum,the real answer)(2pts)*

*Here is answer.*

(3) (2pts)(answer>Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer>Lorem ipsum,the real answer)(2pts)*

*Here is answer.*

(4) (2pts)(answer>Lorem ipsum,the real answer) Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

- (5) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

- (6) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

- (7) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

- (8) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

- (9) (2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

- (10)(2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

- (11)(2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

- (12)(2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet, Lorem ipsum,the real answer

*(answer:Lorem ipsum,the real answer)(2pts)*  
*Here is answer.*

(13)(2pts)(answer:Lorem ipsum,the real answer)Lorem ipsum dolor sit amet,  
Lorem ipsum,the real answer

(answer:Lorem ipsum,the real answer)(2pts)  
 Here is answer.

### 3 Material

---

#### EXAMPLE

---

```
\setupmaterial[title] [style=\ssa]
\setupmaterial[author] [style=\tta]
\setupmaterial[source] [style=ss]
\setupmaterial[number] [numberconversion=I]
\setupmaterial[indicator] [numberconversion=A,reset=true]

\startmaterial[title={Knuth 1},author={Mos},source={Yelu}]
  \input knuth\relax
  \indicator{Some Texts 1}
  \indicator{Some Texts 2}
\stopmaterial

\startquestion[start=1,option={n,packed,joinedup,nowhite}]
  \indicator{Some Texts 1}
  \fastchoice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
\startquestion
  \indicator{Some Texts 2}
  \fastchoice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion

\startmaterial[title={Knuth 2},author={Mos},source={Yelu}]
\input knuth\relax\indicator{Some Texts 3} \indicator{Some Texts 4}
\stopmaterial
\startquestion
  \indicator{Some Texts 3}
  \fastchoice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
\startquestion
  \indicator{Some Texts 4}
  \fastchoice{Some Texts,Some Texts,Some Texts,Some Texts}
\stopquestion
```

---

(I)Knuth 1

Mos

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T<sub>E</sub>X significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as

people with many different viewpoints undertake their own experiments. **(A) Some Texts 1 (B) Some Texts 2**

Yelu

1. **(A) Some Texts 1**

A. Some Texts      B. Some Texts      C. Some Texts      D. Some Texts

2. **(B) Some Texts 2**

A. Some Texts      B. Some Texts      C. Some Texts      D. Some Texts

(II)Knuth 2

Mos

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T<sub>E</sub>X significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments. **(A) Some Texts 3 (B) Some Texts 4**

Yelu

3. **(A) Some Texts 3**

A. Some Texts      B. Some Texts      C. Some Texts      D. Some Texts

4. **(B) Some Texts 4**

A. Some Texts      B. Some Texts      C. Some Texts      D. Some Texts

## 4 Close

On Oct. 11, hundreds of runners competed in a cross-country race in Minnesota. Melanie Bailey should have \_\_\_\_\_ 5 \_\_\_\_\_ the course earlier than she did. Her \_\_\_\_\_ 6 \_\_\_\_\_ came because she was carrying a \_\_\_\_\_ 7 \_\_\_\_\_ across the finish line. As reported by a local newspaper, Bailey was more than two-thirds of the way through her \_\_\_\_\_ 8 \_\_\_\_\_ when a runner in front of her began crying in pain. She \_\_\_\_\_ 9 \_\_\_\_\_ to help her fellow runner, Danielle Lenoue. Bailey took her arm to see if she could walk forward with \_\_\_\_\_ 10 \_\_\_\_\_. She couldn't. Bailey then \_\_\_\_\_ 11 \_\_\_\_\_ to let Lenoue climb onto her back and carried her all the way to the finish line, then another 300 feet to where Lenoue could get \_\_\_\_\_ 12 \_\_\_\_\_ attention. Once there, Lenoue was \_\_\_\_\_ 13 \_\_\_\_\_ and later taken to a hospital, where she learned that she had serious injuries in one of her knees. She would have struggled with extreme \_\_\_\_\_ 14 \_\_\_\_\_ to make it to that aid checkpoint without Bailey's help.

As for Bailey, she is more \_\_\_\_\_15\_\_\_\_\_ about why her act is considered a big \_\_\_\_\_16\_\_\_\_\_. "She was just crying. I couldn't \_\_\_\_\_17\_\_\_\_\_ her," Bailey told the reporter. "I feel like I was just doing the right thing."

Although the two young women were strangers before the \_\_\_\_\_18\_\_\_\_\_, they've since become friends. Neither won the race, but the \_\_\_\_\_19\_\_\_\_\_ of human kindness won the day.

- |          |     |                |              |                  |                |
|----------|-----|----------------|--------------|------------------|----------------|
| (1)(nil) | 5.  | A. designed    | B. followed  | C. changed       | D. finished    |
| (1)(nil) | 6.  | A. delay       | B. chance    | C. trouble       | D. excuse      |
| (1)(nil) | 7.  | A. judge       | B. volunteer | C. classmate     | D. competitor  |
| (1)(nil) | 8.  | A. race        | B. school    | C. town          | D. training    |
| (1)(nil) | 9.  | A. agreed      | B. returned  | C. stopped       | D. promised    |
| (1)(nil) | 10. | A. courage     | B. aid       | C. patience      | D. advice      |
| (1)(nil) | 11. | A. went away   | B. stood up  | C. stepped aside | D. bent down   |
| (1)(nil) | 12. | A. medical     | B. public    | C. constant      | D. equal       |
| (1)(nil) | 13. | A. interrupted | B. assessed  | C. identified    | D. appreciated |
| (1)(nil) | 14. | A. hunger      | B. pain      | C. cold          | D. tiredness   |
| (1)(nil) | 15. | A. worried     | B. ashamed   | C. confused      | D. discouraged |
| (1)(nil) | 16. | A. game        | B. problem   | C. lesson        | D. deal        |
| (1)(nil) | 17. | A. leave       | B. cure      | C. bother        | D. understand  |
| (1)(nil) | 18. | A. ride        | B. test      | C. meet          | D. show        |
| (1)(nil) | 19. | A. secret      | B. display   | C. benefit       | D. exchange    |

## 5 answer box

---

EXAMPLE

---

```
\dorecurse{5}{\typeanswerbychap{0},}
\newcount\tempa\tempa=2\relax
\dorecurse{5}{\typeanswerbychap[\tempa]{0},\advance\tempa by 1\relax}
\typeanswerdirect{0-5}
```

---

default answer,default answer,default answer,C,D,  
 default answer,default answer,C,D,C,  
 D

---

EXAMPLE

---

```
\typeanswerlist{5}
\typeanswerlist[0]{5}
\typeanswerlist[0][2]{5}
```

---

default answer,default answer,default answer,default answer,C,  
 default answer,default answer,default answer,default answer,C,

default answer,default answer,C,D,C,

---

EXAMPLE

---

```
\typeanswerable[2,5] \null\par
\typeanswerable[2,5][0] \null\par
\typeanswerable[2,5][0][6] \null\par

\typeanswerablealt[2,5] \null\par
\typeanswerablealt[2,5][0] \null\par
\typeanswerablealt[2,5][0][6] \null\par
```

---

1	2	3	4	5
default answer	default answer	default answer	default answer	C
6	7	8	9	10
D	C	default answer	default answer	default answer

1	2	3	4	5
default answer	default answer	default answer	default answer	C
6	7	8	9	10
D	C	default answer	default answer	default answer

7	8	9	10	11
C	default answer	default answer	default answer	C
12	13	14	15	16
default answer	default answer	Choice One	Choice Two	B

1	default answer	2	default answer	3	default answer	4	default answer	5	C
6	D	7	C	8	default answer	9	default answer	10	default answer

1	default answer	2	default answer	3	default answer	4	default answer	5	C
6	D	7	C	8	default answer	9	default answer	10	default answer

7	C	8	default answer	9	default answer	10	default answer	11	C
12	default answer	13	default answer	14	Choice One	15	Choice Two	16	B

## 6 Score

---

EXAMPLE

---

```

\startanswer[showanswer=true]
some text \score{2}
some text \score{4}
\resetscore
\setupscore[score=calculation]
some text \score[type=cdotfill]{2}
some text \score[type=space]{4}
some text \score[type=hfill]{3}
\resetscore
\setupscore[score=complex]
some text \score{2}
some text \score{4}
some text \score{3}
\stopanswer

```

---

(answer:nil)

some text	.....	2
some text	.....	4
some text	.....	2
some text	6	
some text		9
some text	.....	2 : 2
some text	.....	4 : 6
some text	.....	3 : 9



# 1 More Test

1. (1pts) (answer:1) one nest

(answer:1)(1pts)  
explain

2. (6pts) (answer:3) one nest

- A. (3pts) (answer:3) two nest

- I. (1pts) (answer:3) three nest

(answer:3)(1pts)  
explain

(answer:3)(1pts)  
explain

- II. (1pts) (answer:4) three nest

(answer:4)(1pts)  
explain

(answer:4)(1pts)  
explain

- III. (1pts) (answer:5) three nest

(answer:5)(1pts)  
explain

(answer:5)(1pts)  
explain

2. (3pts) (answer:6) two nest

- I. (1pts) (answer:6) three nest

(answer:6)(1pts)  
explain

(answer:6)(1pts)  
explain

- II. (1pts) (answer:7) three nest

(answer:7)(1pts)  
explain

(answer:7)(1pts)

*explain*

III. (1pts) (answer:8)three nest

(answer:8)(1pts)  
*explain*

(answer:8)(1pts)  
*explain*

3. (3pts) (answer:A)new test  
(1) (1pts) (answer:A)new test 1

(answer:A)(1pts)  
*explain*

(answer:A)(1pts)  
*explain*

- (2) (1pts) (answer:B)new test 2

(answer:B)(1pts)  
*explain*

(answer:B)(1pts)  
*explain*

- (3) (1pts) (answer:C)new test 3

(answer:C)(1pts)  
*explain*

(answer:C)(1pts)  
*explain*

4. (1pts)It should be reset back to 1 here.  
A. XXX B. YYY C. ZZZ

(answer:9)(1pts)  
*some text*

5. (7.5pts) (answer:123)  
(1) (1.5pts) (answer:123)some texts  
(2) (1.5pts) (answer:123)some texts  
(3) (1.5pts) (answer:123)some texts  
(4) (1.5pts) (answer:123)some texts  
(5) (1.5pts) (answer:123)some texts  
6. (45pts) (answer:see example)Explanation of the topic of the composition

*(answer:xxx)(45pts)*  
*Reference composition 1*

7. (5038pts)(answer:see example)Explanation of the topic of the composition  
 1. (450pts)(answer:xxnx)Sub Composition Topic Description

*(answer:xxnx)(450pts)*  
*Reference composition 2*

2. (4588pts)(answer:xxnx)Sub Composition Topic Description

*(answer:xxnx)(4588pts)*  
*Reference composition 3*