

Correspondence with ConT_EXt

Version: 2009.10.07

Contents

Introduction	7
Part 1 Letters	9
1 Beginners guide	11
1.1 Pure text	13
1.2 Opening and closing	15
1.3 Subject	19
1.4 Address	21
1.5 Sender	23
1.6 Reference line	25
1.7 Signature	27
1.8 Postscript	29
1.9 Enclosure	31
1.10 Copy	33
2 Layout	35
2.1 Letter layers	37
2.2 Letter sections	39
2.3 Letter descriptions	41
3 Extensions	43
4 Values and Labels	45
4.1 Values	45
4.2 Labels	46
5 Background	49
5.1 Backgroundcolor	51
5.2 Backgroundimages	53
5.3 Backgrounds	55
6 Pagenumbering	57

Contents

7	Styles	59
8	Reference line	61
8.1	Alternative a	63
8.2	Alternative b	65
8.3	Alternative c	67
8.4	Alternative d	71
8.5	Alternative e	75
8.6	Alternative none	77
8.7	Customized reference line	79
9	Header and Footer	85
9.1	Header	85
9.2	Footer	87
10	Letter Examples	89
10.1	DIN 676 B	91
10.2	DIN 676 A	93
10.3	NEN 1026	95
10.4	French	97
10.5	Full-block Style	99
10.6	Modified Block Style	101
10.7	Semiblock Style	103
10.8	Simplified Style	105
10.9	Hanging indented Style	107
10.10	Memo Style	109
10.11	Swiss Style A	111
10.12	Swiss Style B	113
Part 2	Résumés	115
11	Interface	117
11.1	Default	118
11.2	moderncv	119
12	Résumé Examples	123
12.1	Classic	125
12.2	Casual	127

Contents

A	Command definitions	129
B	File versions	131
C	Labeltexts	133
D	Index	137

Contents

Introduction

This is the manual for the ConT_EXt-correspondence manual.

The module was written at the start as a package to write letters with a consistent and use to use interface and a few options to change the layout in a consistent way.

The core for the first version was based on the letter manual from Hans Hagen (`m-letter.tex`) and parts of this still remain in the low level code of the module.

As the time past more and more parts had been added to the package and it ended up in a similar interface as the L^AT_EX-classes but with it's own commands to set user values. Because of it's origin in Hans module the user interface and the low level parts are split in two different files and many more interfaces for the users are possible, one of them tries to mimic the style of Hans module.

As the time past the author wrote generic version of the complete setup commands and a few other in the letter core and created the new file `t-correspondence.tex` which holds now the low level code. As a result of this the new file `t-resume.tex` became part of the package with it's own setup commands and external style and interface files.

Introduction

Part 1

Letters

Introduction

1 Beginners guide

The most important in the module for the users is the interface to write the letter text and to set the values for one or more letters.

You will learn how to write a letter with the module step by step, beginning with just a few lines of text, following with opening and closing sentences and at the end after you know how to set every kind of information you will finally learn how to change the position of the reference line and how to change the texts for the labels and to customise their style and color.

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt \TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

1.1 Pure text

To understand how a letter is written let's study the code for the example letter on the left page.

```
\usemodule[letter]
```

```
\starttext
```

```
\startletter
```

```
Thus, I came to the conclusion ...
```

```
\stopletter
```

```
\stoptext
```

As you could see from the first line the letter module has to be loaded before it could be used because it is none of the functions ConTeXt provides by default, to make the examples in the following sections a little bit shorter I will no longer add `\usemodule`, `\starttext` and `\stoptext` but you shouldn't forget to add all of them in your files.

The content for your letter is written between the letter environment, it doesn't matter if you use blank lines before and after the letter text.

If you take a closer look at the result on the left side you could see the paragraphs are separated by blank lines, this could be changed with the `\setupletterstyle` command but let us keep this for later.

You're not restricted to only one letter in a file, it is possible to write as many as you like in a file and you could use this to write serial letters but a easier method to do this is described later in the manual.

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt \TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

1.2 Opening and closing

You saw in the last example how to write a simple text but shouldn't it be possible to give a few opening and also closing words for the letter, because the reader should know for whom the content is.

To achieve this the module provides the two variables *opening* and *closing*. To feed them with text you could either use the optional argument for `\startletter` as done in the current or you could set them before the content of the letter with the two commands `\setupletter` and `\setlettervalue`.

Let us begin with first alternative and set them as argument with `\startletter`:

```
\startletter
  [opening={Dear Reader,},
   closing={Greetings from the Author}]
Thus, I came to the conclusion ...
\stopletter
```

If you don't like this method you could set the two value before the letter environment with the `\setupletter` command, the text in your file should now look like:

```
\setupletter
  [opening={Dear Reader,},
   closing={Greetings from the Author}]

\startletter
Thus, I came to the conclusion ...
\stopletter
```

Beginners guide

The definition of the `\setlettervalue` has changed in the module version from 2009.07.03, only braces are allowed to set values, brackets are optional and used to set the `labeltext` for the value in the current mainlanguage, the setup for both variants is:

```
\setlettervalue{key}{value}
\setlettervalue{key}[labeltext]{value}
```

If you are more interested in a KOMA-Script like solution to set with every command only one value there is as last alternative the `\setlettervalue` command, it comes in two different versions where the keyword is either written in braces or in bracket but the content itself is written between braces.

The first version with braces for two values has the following look.

```
\setlettervalue{opening}{Dear Reader,}
\setlettervalue{closing}{Greetings from the Author}
```

The nearly no difference to the second version and both give the same result and you could the one which you prefer.

```
\setlettervalue[opening]{Dear Reader,}
\setlettervalue[closing]{Greetings from the Author}
```

The values itself had to be given before the letter environment because values in the letter text are ignored and will never be shown in the output.

You have also to be careful with the content for the values because commas are interpreted as end of the value if you write it as argument for `\startletter` or with `\setupletter` and the text has to be protected with braces in this case but you don't need them if there is no comma in your text.

This could not happen if you set the values with the `\setlettervalue` command because the content is delimited by the braces and commas are just normal text.

Beginners guide

Step by step guide to write a letter

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

1.3 Subject

After you read how to write the text and set values for the opening and closing we mention now how we could write a subject.

Instead of integrating this point in the last section I wrote a new to let you understand the system. Before I will tell more let's take a look at the code.

```
\startletter
  [opening={Dear Reader,},
   subject={Step by step guide to write a letter},
   closing={Greetings from the Author}]
Thus, I came to the conclusion ...
\stopletter
```

The text for the subject is written as argument for *subject* as argument for `\startletter`, as you already guess you could have set it also with `\setupletter` or `\setlettervalue` and this is also possible and true for the values in the following sections.

Besides the *subject* you have also the option to set a *title* for the letter, there is no big difference between them but the title is normally written before the subject and has and use a slightly bigger size or is emphasized in another way.

Mike Wilson
Linden street 12
78569 TeX City

Date
October 7, 2009

Step by step guide to write a letter

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

1.4 Address

Letters are normally meant to be sent by post and to prevent you from writing the address by hand on the envelope you could buy envelopes with windows. To use these envelopes the address has to be written on the letter and to do this you have to set the *name* and the *address* for the addressee with the two values *toname* and *toaddress*.

The input for the example on the left page looks like:

```
\setupletter
  [toname={Mike Wilson},
   toaddress={Linden street 12\\78569 TeX City}]

\startletter
  [opening={Dear Reader,},
   subject={Step by step guide to write a letter},
   closing={Greetings from the Author}]
Thus, I came to the conclusion ...
\stopletter
```

The author prefers to set the values for the addressee not with `\startletter` but with `\setupletter` but this is just a matter of style and you could select what fits best to your own working style.

The Author
Hidden Street 2
57895 Mystery town

Mike Wilson
Linden street 12
78569 TeX City

Date
October 7, 2009

Step by step guide to write a letter

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

1.5 Sender

It is not often enough to have just the addressee information on the letter, you're looking also for way to put the *name* and *address* for the sender into the header.

If you have wondered why the author hasn't just used *name* and *address* as keys for the addressee values you will now find the solution. To make the system consistent to set the values for addressee and the sender both needed key names to prevent confusions which value should use the the simpler and which one a more verbose one both got a prefix to the key to differentiate them, so got addressee information the prefix *to* and sender information the prefix *from*.

The additional input for the example on the left page to the one from the previous examples is:

```
\setupletter  
  [fromname={The Author},  
   fromaddress={Hidden Street 2\\57895 Mystery town}]
```

The manual will describe in a later section how to write a own header with a personal look and feel but this is outside of the user interface and requires knowledge about the layout.

The Author
Hidden Street 2
57895 Mystery town

Mike Wilson
Linden street 12
78569 TeX City

Name	Phone	Fax	Date
Ben Johnson	4922-89564	4922-89564	October 7, 2009

Step by step guide to write a letter

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

1.6 Reference line

If you're in a company or a organisation you need sometimes a few extra information on your letter. The reference line or block is the right place where you can place these information.

Our old example from the last section was now extended by a reference line between the information from our addressee and the subject line, the information for the four fields were set with the following code.

```
\setupletter  
  [name={Ben Johnson},  
   phone={4922-89564},  
   fax={4922-89564},  
   date=\currentdate]
```

```
\setupletter  
  [list={name,phone,fax,date}]
```

The first `\setupletter` set the content for the four fields *name*, *phone*, *fax* and *date*. Although the values are set none of them will appear in the output but we have to declare the fields for the reference line first, this is done in the second `\setupletter` command with the key *list*, the entries will appear in the in the same order as you write them in the list, if one or more of the keys in the list have no values they will still appear in the output but no content is shown.

If you change the content for the *list* key in your file the module will show by default the date of the current date at the right side of the reference line, this will normally always happen and you could say the result in the examples of the two preceding sections.

The Author
Hidden Street 2
57895 Mystery town

Mike Wilson
Linden street 12
78569 TeX City

Name	Phone	Fax	Date
Ben Johnson	4922-89564	4922-89564	October 7, 2009

Step by step guide to write a letter

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

Arthur Thor

1.7 Signature

You know now how to set the letter text, the opening and closing lines, the values for the addressee and the sender and also how to define your own values for the reference line.

Most of the things needed for a letter are already told but a few fields at the end of the letter remain untold, the first line you will add to our example letter is the signature. It is set with the *signature* in the same way as the other values in the former examples. What the author did in the left example was:

```
\setupletter  
  [signature={Arthur Thor}]
```

There is some space between the closing and the signature to give you the possibility to sign the letter also by hand after you have printed the letter.

You're not limited to simple text for the signature, it is also possible to use a graphic if you won't sign the letter by hand after you printed it, such a solution would have been for the author the next code.

```
\setupletter  
  [signature={\externalfigure[autograph][height=2\lineheight]}]
```

How to adjust the space between the closing line and the signature for this way will be shown in the letter style section.

The Author
Hidden Street 2
57895 Mystery town

Mike Wilson
Linden street 12
78569 TeX City

Name	Phone	Fax	Date
Ben Johnson	4922-89564	4922-89564	October 7, 2009

Step by step guide to write a letter

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

Arthur Thor

Postscript

1.8 Postscript

```
\startletter
```

```
...
```

```
\ps{...}
```

```
\stopletter
```

The Author
Hidden Street 2
57895 Mystery town

Mike Wilson
Linden street 12
78569 TeX City

Name	Phone	Fax	Date
Ben Johnson	4922-89564	4922-89564	October 7, 2009

Step by step guide to write a letter

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

Arthur Thor

Postscript
encl Appendices

1.9 Enclosure

```
\startletter
```

```
...
```

```
\ps{...}
```

```
\encl{...}
```

```
\stopletter
```

The Author
Hidden Street 2
57895 Mystery town

Mike Wilson
Linden street 12
78569 TeX City

Name	Phone	Fax	Date
Ben Johnson	4922-89564	4922-89564	October 7, 2009

Step by step guide to write a letter

Dear Reader,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Greetings from the Author

Arthur Thor

Postscript
encl Appendices
List of recipients

1.10 Copy

```
\startletter
```

```
...
```

```
\ps{...}
```

```
\encl{...}
```

```
\cc{...}
```

```
\stopletter
```

Beginners guide

2 Layout

The components for the letter can be divided in to groups, the first are letter layers, you can position them on the page wherever you want and it is also possible to put one layer bevor or behind another layer.

The underlying machanism behind letter layers are ConT_EXt's normal layer mechanism in combination with localframed environments, this is a very powerful combination and you could create complicated layouts with them.

The second group of components for the layout are letter sections, they are not as powerfule as letter layers and you have only a limited number of elements to control their layout.

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

2.1 Letter layers

Layer are used to position elements one page independant of the page layout. They are used for the header and footer, address block¹ etc.

The complete list of all available layers is:

- head
- letternext
- lettermain
- foot
- address
- reference
- location
- nexthead
- lefthead
- righthead
- nextfoot
- leftfoot
- rightfoot
- topmark
- botmark
- cutmark
- endmark
- usermark
- backaddress

```
\setlayer[...] {\framed{...}}
```

The position and layout of the layers can be changed with the `\setupletterstyle` command.

```
\setupframed[...] [..., ...=..., ...]
```

```
\setuplayer[...] [..., ...=..., ...]
```

```
\getparameters[...] [..., ...=..., ...]
```

¹ The block styles use a different structure and use a letter section for the address block.

2.2 Letter sections

- letterhead²
- dateline
- referenceline
- specialnotation
- insideaddress
- title
- subject
- opening
- content
- closing
- appendices

You can change the layout of a letter section with the `\setupletterstyle` command, the syntax is:

² Only used for the blockstyle layouts.

[REDACTED]

2.3 Letter descriptions

Layout

3 Extensions

The letter module provides a special type of files, called extensions. They provide functions that could be used by different files like the labels for each language (`label.nle`) or extra features for one purpose like the page optimization (`optimize.nle`).

You can load extension files either with the letter module and write their names as argument to the `extension` key or afterwards in your file with the `useletterextension` command.

The module comes itself with the following extensions:

label	Labeltexts for different languages
pragma	Example content for Hans own letter module
optimize	Increase or decrease the distance between paragraphs to fill a page with at least 25% of the text height

Extensions

4 Values and Labels

4.1 Values

When you write a letter you have to set some values for the reference line like the date and other ones like the name and address of the addressee for the address block, these can be done with the two commands `\setlettervalue` and `\setupletter`.

The first command `\setlettervalue` takes two commands like `\setvalue` or `\setvariable` and could be used like:

```
\setlettervalue{firstname} {Mike}  
\setlettervalue{familyname}{Johnson}
```

There is also a optional argument between the name and the content of the value which is explained in the next section.

With the second command `\setupletter` you can set multiple values separated by commas, it's similar to `\setvariables`, the above setting will look then:

```
\setupletter  
  [firstname=Mike,  
   familyname=Johnson]
```

As you can seen in the following command overview for `\setupletter` the command has two arguments while we used in the last example only one, the two argument form is used to change the layout for the values in the reference (and others) line like:

```
\setupletter  
  [date,name]  
  [titlestyle=\tfx,  
   titlecolor=gray]
```

The complete list of argument are:

Values and Labels

```
\setupletter[...]=...  
\setupletter[...][...]=...  
  
\setlettervalue{...}{...}
```

4.2 Labels

When you take a look at the examples in the reference section you can see all of them have a label above or on the left or the content but this did only happen because the module provides preset texts for them.

When you try to use a non defined label like e.g. *skype* you the content of the value as seen below but no label above.

The following code

```
\setlettervalue{date} {\currentdate}  
\setlettervalue{skype}{corres.context}  
  
\setupletterstyle[reference][list={skype,date}]
```

result in this reference line:

corres.context	Date October 7, 2009
----------------	-------------------------

The module use ConTeXt's `labeltext` mechanism to define text for various languages which can be found in the file `default.nle`. To define your own text use the `\setuplabeltext` command, to prevent problems with other macros the names of the labels are prefixed with *letter*.³

³ The *memo* style makes a exception to this concept and use *memo*: as prefix for the label names.

Values and Labels

To add now a label for our currently used *skype* value put the following line in your document and change the language tag to the mainlanguage you use in your document.

```
\setuplabeltext[en][letter:skype=Skype]
```

The reference looks now like:

Skype	Date
corres.context	October 7, 2009

When you use `\setlettervalue` to set the content of the values the optional argument can be used instead of `\setuplabeltext` to define a text for the label in the current mainlanguage, a empty argument results in a empty labeltext.

The two step setting for the value *skype* can the be done with this setting.

```
\setlettervalue{skype}[Skype]{corres.context}
```

Values and Labels

5 Background

There are different ways to customize the look of a letter, they are namely the a) layout of the page, b) the font for the main text and the styles for each element and c) the header and the other information blocks. Another option is the stationary which you use for the printed result, you could use either already preprinted paper or what will be described in the following chapter create your own with ConTeXt. Three different methods are available to do this:

- a) color,
- b) images,
- c) user created backgrounds.

Date
October 7, 2009

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt \TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

5.1 Backgroundcolor

Setting a color for the background is the first method to customize the layout of the letter background, you can see result of the following code in the example on the left page and all other full page letters in this document.

```
\setupcolors[state=start]

\setupletterstyle[backgroundcolor=gray]

\startletter
Thus, I came to the conclusion ...
\stopletter
```

When you use *backgroundcolor* in combination with the other methods it's important to know the *backgroundcolor* is always behind the other elements.

Date
October 7, 2009

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt $\text{T}_{\text{E}}\text{X}$ significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

5.2 Backgroundimages

The second method is to use a graphic as background for the letter, the example on the left page is created with the following code, take care the argument is existing figure or you will get ConT_EXt's usual placeholder for missing figures.

```
\setupletterstyle[backgroundimage=example]
```

```
\startletter
```

```
Thus, I came to the conclusion ...
```

```
\stopletter
```

When you take a look in the source you will see the module use `\overlayfigure` to stretch the graphic to the size of the paper, it's up to the user to provide a graphic with the correct width/height ration and a resultion which is high enough to aviud artefacts.

Date
October 7, 2009

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt $\text{T}_{\text{E}}\text{X}$ significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.



5.3 Backgrounds

As third and last method you can use the *background* parameter which is nothing more than a overlay which is placed in the background. A example where a graphic is drawn with METAPOST is shown below with the result on the left page.

```
\startuseMPgraphic{dactylus}
draw unitsquare xyscaled (OverlayWidth-2cm,OverlayHeight-2cm)
    smoothed 1cm withpen pencircle scaled 2 ;
fill fullcircle scaled 1.5cm shifted (1cm,1cm)
    withcolor \MPcolor{orange} ;
\stopuseMPgraphic
```

```
\setupletterstyle[background=\useMPgraphic{dactylus}]
```

```
\startletter
Thus, I came to the conclusion ...
\stopletter
```

You could use this method also to place normal graphic from a external file `\externalfigure` where you have more detailed control over the figure size etc. It's also possible to define different background for the first and the second page but the user has to take care of this himself.

Date
October 7, 2009

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt \TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

6 Pagenumbering

```
\correspag number  
\numberofcorresp ages
```

```
\startsetups letter:head  
\rightaligned{Page \correspag number\ of \numberofcorresp ages}  
\stopsetups
```

Pagenumbering

7 Styles

The already comes with a few predefined styles, to use them write the name in the second column either as argument to *style* when you load the module or later in your document with `\useletterstyle`.

Description	Name	Page
German style DIN 676 A	dina	93
German style DIN 676 B	dinb	91
Dutch letter style	dutch	95
French letter style	french	97
Full-block	fullblock	99
Semiblock	semiblock	103
Modified block	modified	101
Hanging intended	hanging	107
Memo style	memo	109
Simplified style	simplified	105
Swiss style	swiss	111
Swiss left style	swissleft	113

The result of each page can be found on the pages shown in the third column.

Styles

8 Reference line

The reference lines is used to show information like the date and other information.

A few styles are predefined and you can select them with:

```
\setupletterstyle[reference][alternative=...]
```

By default only the current date is shown in the reference line but you can change this with list key, you can give a single value or a comma list as argument.

```
\setupletterstyle[reference][list=...]
```

For backward compatibility you could set both values also with the `\setupletter` command which are passed down to the `\setupletterstyle` command.

```
\setupletter  
  [alternative=...,  
  list=...]
```

Max Mustermann
Musterstraße 12
12345 Musterstadt

Hans Hansen
Zielgasse 23
34789 New Mustertown

Name	Phone	Date
Willi Maier	01234-56789	October 7, 2009

Grund des Anschreibens

Sehr geehrte Damen und Herren,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt $\text{T}_{\text{E}}\text{X}$ significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Mit freundlichen Grüßen

Reference line

8.1 Alternative a

The reference alternative a is enabled with the default style, the only value you can see is the date. The setup in the default style for the reference line is like this:

```
\setupletterstyle  
  [reference]  
  [alternative=a,  
   list=date]
```

This leads to the following output, you get two lines which are aligned to the right side with a label in the current mainlanguage on the top line and the current date on the bottom line.

Date
October 7, 2009

You could also show more elements in the reference line when you write them as argument the list key.

```
\setupletterstyle  
  [reference]  
  [list={name,phone,date}]
```

The values are shown in the given order and spread across the line like below. To get this effect you need a list with at least two elements, otherwise it is moved to the right side like you can see in the first example.

Name	Phone	Date
Willi Maier	01234-56789	October 7, 2009

Max Mustermann
Musterstraße 12
12345 Musterstadt

Hans Hansen
Zielgasse 23
34789 New Mustertown

Your ref.:

Your letter of: 2880-01-15

Our ref.: IV 1 - 24 00

Our letter of:

Name: Max Mustermann

Room:

Phone: 01234-56789

Fax: 3456-9853

Date: October 7, 2009

Grund des Anschreibens

Sehr geehrte Damen und Herren,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt \TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Mit freundlichen Grüßen

8.2 Alternative b

```
\setupletterstyle  
  [reference]  
  [alternative=b]
```

```
\setupletter[date][separator=: ]
```

Date: October 7, 2009

```
\setupletterstyle  
  [reference]  
  [alternative=b,  
   list={name,phone,date}]
```

```
\setupletter  
  [name,phone,date]  
  [separator=: ]
```

Name: Willi Maier
Phone: 01234-56789
Date: October 7, 2009

```
\setupletter  
  [name,phone,date]  
  [titlestyle=\tx,  
   separator=: ]
```

Name: Willi Maier
Phone: 01234-56789
Date: October 7, 2009

Max Mustermann
Musterstraße 12
12345 Musterstadt

Hans Hansen
Zielgasse 23
34789 New Mustertown

Place, October 7, 2009

Grund des Anschreibens

Sehr geehrte Damen und Herren,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt $\text{T}_{\text{E}}\text{X}$ significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Mit freundlichen Grüßen

Reference line

8.3 Alternative c

```
\setupletterstyle  
  [reference]  
  [alternative=c,  
   list=reference]
```

```
\setupletter[reference=\rightaligned{\currentdate}]
```

October 7, 2009

```
\setupletterstyle  
  [reference]  
  [alternative=c,  
   list=reference]
```

```
\setupletter  
  [reference=\line{\lettervalue{name}\hfill\lettervalue{date}}]
```

Willi Maier

October 7, 2009

You could also use the alternative c to create your own reference line.

The following example show you a way to create own similar the alternative a but now with a natural table and a hard coded order of the elements.

```
\setupletterstyle  
  [reference]  
  [alternative=c,  
   list=reference]
```

```
\startsetups reference:customized
```

Reference line

```
\bTABLE[frame=off,offset=0pt,width=.25\hsize]
  \bTR
    \bTD \labeltext{letter:name} \eTD
    \bTD \labeltext{letter:phone} \eTD
    \bTD \labeltext{letter:fax} \eTD
    \bTD \labeltext{letter:date} \eTD
  \eTR
  \bTR
    \bTD \lettervalue{name} \eTD
    \bTD \lettervalue{phone} \eTD
    \bTD \lettervalue{fax} \eTD
    \bTD \lettervalue{date} \eTD
  \eTR
\eTABLE
```

```
\stopsetups
```

```
\setupletter
[reference=\setups{reference:customized}]
```

The code results in the following result.

Name	Phone	Fax	Date
Willi Maier	01234-56789	3456-9853	October 7, 2009

Reference line

Max Mustermann
Musterstraße 12
12345 Musterstadt

Hans Hansen
Zielgasse 23
34789 New Mustertown

Your ref.:
Your letter of: 2880-01-15
Our ref.: IV 1 - 24 00
Our letter of:

Name: Max Mustermann
Room:
Phone: 01234-56789
Fax: 3456-9853

Date: October 7, 2009

Grund des Anschreibens

Sehr geehrte Damen und Herren,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt \TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Mit freundlichen Grüßen

8.4 Alternative d

```
\setupletterstyle  
[reference]  
[alternative=b]
```

Date October 7, 2009

```
\setupletterstyle  
[reference]  
[alternative=d,  
list={name,phone,date}]
```

Name Willi Maier
Phone 01234-56789
Date October 7, 2009

```
\setupletter  
[name,phone,date]  
[separator=: ]
```

Name: Willi Maier
Phone: 01234-56789
Date: October 7, 2009

```
\setupletter  
[name,phone,date]  
[titlestyle=\tx,  
separator=: ]
```

Reference line

Name: Willi Maier

Phone: 01234-56789

Date: October 7, 2009

Reference line

Max Mustermann
Musterstraße 12
12345 Musterstadt

Hans Hansen
Zielgasse 23
34789 New Mustertown

Name	Phone	Date
Willi Maier	01234-56789	October 7, 2009

Grund des Anschreibens

Sehr geehrte Damen und Herren,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt $\text{T}_{\text{E}}\text{X}$ significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Mit freundlichen Grüßen

8.5 Alternative e

```
\setupletterstyle  
  [reference]  
  [alternative=e]
```

Date
October 7, 2009

```
\setupletterstyle  
  [reference]  
  [alternative=e,  
   list={name,phone,date}]
```

```
\setupletter  
  [name,date,phone]  
  [width=.25\textwidth]
```

Name	Phone	Date
Willi Maier	01234-56789	October 7, 2009

Max Mustermann
Musterstraße 12
12345 Musterstadt

Hans Hansen
Zielgasse 23
34789 New Mustertown

Grund des Anschreibens

Sehr geehrte Damen und Herren,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt $\text{T}_{\text{E}}\text{X}$ significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Mit freundlichen Grüßen

Reference line

8.6 Alternative none

The last alternative `none` is different from the previous alternatives.

It disables the complete reference line and use as only alternative the values from layout for the first page to the distance till the first line of the letter while the other ignores this values and calculate it based on the position, height and distance after the reference line.

You choose in the same way as the other alternatives.

```
\setupletterstyle  
  [reference]  
  [alternative=none]
```

Max Mustermann
Musterstraße 12
12345 Musterstadt

Hans Hansen
Zielgasse 23
34789 New Mustertown

Fax Email
3456-9853

Your ref.	Our ref.	Phone	Date
2880-01-15	IV 1 - 24 00	01234-56789	2009-10-07

Grund des Anschreibens

Sehr geehrte Damen und Herren,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Mit freundlichen Grüßen

8.7 Customized reference line

```

\defineletterelement[reference][customized]
  {\setupTABLE           [height=18mm,frame=off,offset=0pt]%
   \setupTABLE[c][1,2]  [width=50.8mm]%
   \setupTABLE[c][3,4,5][width=25.4mm]%
   \bTABLE
     \bTR
       \bTD[m=3] \labeltext{letter:fax}   \\\lettervalue{fax}   \eTD
       \bTD      \labeltext{letter:email} \\\lettervalue{email} \eTD
     \eTR
     \bTR
       \bTD      \labeltext{letter:yourref}\\\lettervalue{yourref} \eTD
       \bTD      \labeltext{letter:myref}  \\\lettervalue{myref}  \eTD
       \bTD[nx=2] \labeltext{letter:phone} \\\lettervalue{phone} \eTD
       \bTD      \labeltext{letter:date}   \\\lettervalue{date}   \eTD
     \eTR
   \eTABLE}

\setupletterstyle
  [firstpage]
  [topspace=11.5cm]

\setupletterstyle
  [reference]
  [alternative=customized]

```

Reference line

Reference line

```
\defineletterelement[reference][customized]
  {\bTABLE[frame=off,offset=0pt,width=.25\hsize]
    \bTR
      \bTD \labeltext{letter:name} \eTD
      \bTD \labeltext{letter:phone} \eTD
      \bTD \labeltext{letter:fax} \eTD
      \bTD \labeltext{letter:date} \eTD
    \eTR
    \bTR
      \bTD \lettervalue{name} \eTD
      \bTD \lettervalue{phone} \eTD
      \bTD \lettervalue{fax} \eTD
      \bTD \lettervalue{date} \eTD
    \eTR
  \eTABLE}
```

Max Mustermann
Musterstraße 12
12345 Musterstadt

Hans Hansen
Zielgasse 23
34789 New Mustertown

Grund des Anschreibens

Vorname Nachname
01234/567890
hans.meier@muster.de

Sehr geehrte Damen und Herren,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt \TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Mit freundlichen Grüßen

Reference line

```
\defineletterelement[reference][sideline]
  {\framed
   [frame=off,
    align={right,high},
    foregroundstyle=small,
    width=4cm,
    height=\textwidth]
   {Vorname Nachname\\
    01234/567890\\
    hans.meier@muster.de}}
```

```
\setupletterstyle
  [firstpage,secondpage]
  [topspace=8cm,
   width=13cm]
```

```
\setupletterstyle
  [reference]
  [alternative=sideline,
   hoffset=\dimexpr\backspace+\textwidth+1em\relax,
   voffset=\topspace]
```

Reference line

9 Header and Footer

9.1 Header

The head of a letter is the part where you can make the most customization, when you don't want to do this the module provides a few predefined alternatives which can be decorated with rules.

The layout of the head is the selected with the `\setupletterstyle` command and the `alternative` key, the second key `fromrule` is used for the three alternatives *a*, *b* and *c*.

```
\setupletterstyle  
  [head]  
  [alternative=...,  
  fromrule=...]
```

You can select between the following alternatives:

- *a*
- *left*
- *middle*
- *right*

The `fromrule` key accepts the following parameters which can be combined to get a rule at the top and bottom of the header.

- *no*
- *none*
- *off*
- *top*
- *before*
- *bottom*
- *after*
- *yes*
- *on*

The default alternative *a* prints the firstname and surname of the author in the first line and the address in the following lines, the text is left aligned but this can be changed with the `align` key.

Header and Footer

Max Mustermann
Musterweg 12
12345 Musterstadt

The other three alternatives *left*, *middle* and *right* place the text according to their names in the left, center or right of the head with a few information than the default layout provides. You can enable a option rule after the name of the addressee and at the bottom of the address block.

Header and Footer

Max Mustermann
Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = left
fromrule = no

Max Mustermann
Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = middle
fromrule = no

Max Mustermann
Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = right
fromrule = no

Max Mustermann

Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = left
fromrule = top

Max Mustermann

Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = middle
fromrule = top

Max Mustermann

Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = right
fromrule = top

Max Mustermann
Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = left
fromrule = bottom

Max Mustermann
Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = middle
fromrule = bottom

Max Mustermann
Musterweg 12
12345 Musterstadt
1234/567890
1234/567891
max.mustermann.com

alternative = right
fromrule = bottom

9.2 Footer

No default style/alternatives for the foot are provided from the module,
the current section will therefore show ways to create own ones.

Header and Footer

10 Letter Examples

The letter module consists not only of just the main module, it contains also a few already defined styles for different countries and each of them use slightly different position for the layers and other setups.

This section will give you a overview of all included styles you could use with the module without the need to write your own style.

John Simmons
Parkstreet 12
8257 Green Bay

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Date
October 7, 2009

Brand new templates for Word

Dear Mr Wilson,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons


Letter Examples

10.1 DIN 676 B

The letter style `dinb` is the default style for the module and is used if nothing else is specified by the user.



First page



Second page

John Simmons
Parkstreet 12
8257 Green Bay

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Date
October 7, 2009

Brand new templates for Word

Dear Mr Wilson,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons

Letter Examples

10.2 DIN 676 A

The second style dina follows the same rules as the style dinb but all fields shifted by the same value upwards to give you more space for the lettercontent.



First page



Second page

John Simmons
Parkstreet 12
8257 Green Bay

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Date
October 7, 2009

Brand new templates for Word

Dear Mr Wilson,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons

Letter Examples

10.3 NEN 1026

The third style supported by the letter module is for dutch letters, the name of the style is called `dutch`. The values and examples for the style are provided by Willi Egger.



First page



Second page

John Simmons
Parkstreet 12
8257 Green Bay

October 7, 2009

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Brand new templates for Word

Dear Mr Wilson,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt $\text{T}_{\text{E}}\text{X}$ significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons


Letter Examples

10.4 French

The french style is based on values given to me by Olivier Guéry.



First page



Second page

Parkstreet 12
8257 Green Bay

October 7, 2009

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Dear Mr Wilson,

Brand new templates for Word

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons

Letter Examples


10.5 Full-block Style

The full-block format is the simplest of all six blockstyle formats. Every part of the letter starts at the left margin with a blank line between each part.

The order of the parts is date, inside address, attention line, salutation, subject line, body, complimentary close, signature and additional information.



First page



Second page

Parkstreet 12
8257 Green Bay

October 7, 2009

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Dear Mr Wilson,

Brand new templates for Word

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons

Letter Examples

10.6 Modified Block Style

The modified style has the same layout as the full-block style but the date, signature and closing moved to the right, which allows them to stand.



First page



Second page

Parkstreet 12
8257 Green Bay

October 7, 2009

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Dear Mr Wilson,

Brand new templates for Word

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards


John Simmons

Letter Examples


10.7 Semiblock Style

The semiblock style is the format most people recognize as business letter.

The layout is the same as in the modified style. Paragraphs are indented by five spaces⁴.



First page



Second page

⁴ The semiblock letter style use the medium value for `\setupindenting` to indent the paragraphs.

Parkstreet 12
8257 Green Bay

October 7, 2009

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Brand new templates for Word

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

John Simmons

Letter Examples

10.8 Simplified Style

The simplified style is used when you don't know the name of the person you're writing to or when you write to a company.

It contains no title, salutation or complimentary closing. The main focus is the body of the letter.



First page



Second page

Parkstreet 12
8257 Green Bay

October 7, 2009

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Dear Mr Wilson,

Brand new templates for Word

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.


Best regards

John Simmons


Letter Examples

10.9 Hanging indented Style

The hanging indented format is seldom used. It's main advantage is that it calls attention to the body and each paragraph.



First page



Second page

Date: October 7, 2009
To: Steve Wilson
From: John Simmons
Subject: Brand new templates for Word

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons

Letter Examples

10.10 Memo Style


The memo style used primarily for interoffice communication. The top of the memo indicates the date, the name of the recipient, the name of the sender and the subject.

The abbreviation “RE” is sometimes used instead of “Subject”.

A signature and additional information are optional. The signature is placed near the center with the additional information at the left margin.



First page



Second page

John Simmons
Parkstreet 12
8257 Green Bay

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Date
October 7, 2009

Brand new templates for Word

Dear Mr Wilson,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons

Letter Examples

10.11 Swiss Style A

The layout of this style is not finished, if you want to use it give me information about the correct margins and position of the elements.



First page



Second page

John Simmons
Parkstreet 12
8257 Green Bay

Steve Wilson
Nightstreet 4a
9183 Cotton Village

Date
October 7, 2009

Brand new templates for Word

Dear Mr Wilson,

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large-scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt T_EX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

Best regards

John Simmons


Letter Examples

10.12 Swiss Style B

The layout of this style is not finished, if you want to use it give me information about the correct margins and position of the elements.



First page



Second page

Letter Examples

Part 2

Résumés

Letter Examples

11 Interface

11.1 Default

```
\startresume [...,.*,...] ... \stop  
                  OPTIONAL
```

* *inherits from* \setupresume

11.2 moderncv

The moderncv interface is based on the layout of the moderncv-package for L^AT_EX and with the same elements and styles. The difference between the L^AT_EX and the ConT_EXt-version is that you don't need a `\maketitle` command to place the header for each style and it is placed by default.

The available elements for the interface are described below.

`\cvline`

The `\cvline` take two arguments, the first place the text in the left margin and accepts only short entries, the second argument accepts longer texts which are placed in the text area. You could change the distance after the entry with the optional argument.

```
\cvline{...}{...}
```

The two lines

```
\cvline{supervisors}{Supervisors}
\cvline{description}{\tx Short thesis abstract}
```

results in

supervisors	Supervisors
description	Short thesis abstract

`\cvlistitem`

The `\cvlistitem` is similar to the `\cvline` command above but it takes only one argument which is placed in the text area. In the left margin appear a symbol

Interface

like a `itemize`, you could change this symbol with the optional argument before the text.

```
\cvlistitem[<symbol>]{...}
```

The two example line below

```
\cvlistitem{Item 1}  
\cvlistitem[+]{Item 2}
```

result in the following output

```
- Item 1  
+ Item 2
```

`\cvlistdoubleitem`

The `\cvlistdoubleitem` is a enhanced version of the `\cvlistitem` command and place two text side by side, if you change the symbol it affects the symbol for both texts.

```
\cvlistdoubleitem[<symbol>]{...}{...}
```

As you can see in the next example you have to write the text in two command if you want one below the other.

```
\cvlistdoubleitem[$\circ$]{Item 1}{Item 3}  
\cvlistdoubleitem[$\circ$]{Item 2}{Item 4}
```

You can see this in the output from the example above.

Interface

- Item 1
- Item 2
- Item 3
- Item 4

`\cventry`

The `\cventry` has six argument and prints the argument two to five in the first line of the text with a certain format for each text and separates them with commas. The first argument is typed in the left margin and the last in the text on a separate line.

```
\cventry{...}{...}{...}{...}{...}{...}
```

Two possible settings for the arguments are:

```
\cventry{year-year}{Degree}{Institution}{City}{\it Grade}{Description}  
\cventry{year-year}{Job title}{Employer}{City}{}{Description}
```

This results in the time period in the left margin and the information in the text.

```
year-year Degree, Institution, City, Grade.  
Description  
year-year Job title, Employer, City.  
Description
```

`\cvlanguage`

The `\cvlanguage` behaves also line the `\cvline` command but take a third argument which can be used for additional information in the right margin.

Interface

```
\cvlanguage{...}{...}{...}
```

The following example

```
\cvlanguage{language 1}{Skill level}{Comment}  
\cvlanguage{language 2}{Skill level}{Comment}
```

results in:

language 1	Skill level	<i>Comment</i>
language 2	Skill level	<i>Comment</i>

`\cvcomputer`

The `\cvcomputer` command is an enhanced version of the `\cvlistdoubleitem` with two explicit arguments for the label text which is written on the left of each entry.

```
\cvcomputer{...}{...}{...}{...}
```

As you can see in the first and third arguments a label is written to describe the text category of each entry.

```
\cvcomputer{category 1}{XXX, YYY, ZZZ}{category 3}{XXX, YYY, ZZZ}  
\cvcomputer{category 2}{XXX, YYY, ZZZ}{category 4}{XXX, YYY, ZZZ}
```

This produces the following output.

category 1	XXX, YYY, ZZZ	category 3	XXX, YYY, ZZZ
category 2	XXX, YYY, ZZZ	category 4	XXX, YYY, ZZZ

12 Résumé Exemples

John Doe

Resumé title (optional)

street and number

postcode city


mobile (optional)

phone (optional)

fax (optional)

email (optional)

additional information (optional)



Education

year-year **Degree, Institution, City, Grade.**

Description

year-year **Degree, Institution, City, Grade.**

Description

Master thesis

title *Title*

supervisors Supervisors

description Short thesis abstract

Experience

Vocational

year-year **Job title, Employer, City.**

Description

Miscellaneous

year-year **Job title, Employer, City.**

Description line 1

Description line 2

Languages

language 1 **Skill level**

Comment

language 2 **Skill level**

Comment

Résumé Examples

12.1 Classic

street and number
postcode city
mobile (optional)
phone (optional)
fax (optional)
email (optional)
additional information (optional)

John Doe
Resumé title (optional)

Education
year-year Degree, Institution, City, Grade.
Description
year-year Degree, Institution, City, Grade.
Description

Master thesis
title
supervisors
description Short thesis abstract

Experience
Vocational
year-year Job title, Employer, City,
Description
year-year Job title, Employer, City,
Description
Miscellaneous
year-year Job title, Employer, City,
Description line 1
Description line 2

Languages
language 1 Skill level
language 2 Skill level
language 3 Skill level

Comment
Comment
Comment

1/2

First page

Computer skills
category 1 xxx, yy, zzz
category 2 xxx, yy, zzz
category 3 xxx, yy, zzz
category 4 xxx, yy, zzz
category 5 xxx, yy, zzz
category 6 xxx, yy, zzz


Interests
hobby 1 Description
hobby 2 Description
hobby 3 Description

Extra 1
- Item 1
- Item 2
+ Item 3

Extra 2
o Item 1
o Item 2
o Item 3
o Item 4
o Item 5

2/2

Second page



Some quote (optional)

Education

year-year **Degree, Institution, City, Grade.**
Description

year-year **Degree, Institution, City, Grade.**
Description

Master thesis

title *Title*
supervisors Supervisors
description Short thesis abstract

Experience

Vocational

year-year **Job title, Employer, City.**
Description

Miscellaneous

year-year **Job title, Employer, City.**
Description line 1
Description line 2

Languages

language 1	Skill level	<i>Comment</i>
language 2	Skill level	<i>Comment</i>

street and number – postcode city
mobile (optional) • *phone (optional)* • *fax (optional)*
• *email (optional)* • *additional information (optional)*

Résumé Examples

12.2 Casual



John Doe

Some quote (optional)

Education

year-year **Degree, Institution, City, Grade.**
Description

year-year **Degree, Institution, City, Grade.**
Description

Master thesis

title **Title**

supervisors **Supervisors**

description Short thesis abstract

Experience

Vocational

year-year **Job title, Employer, City.**
Description

year-year **Job title, Employer, City.**
Description

Miscellaneous

year-year **Job title, Employer, City.**
Description line 1
Description line 2

Languages

language 1	Skill level	Comment
language 2	Skill level	Comment
language 3	Skill level	Comment

street and number - postcode city
mobile (optional) • phone (optional) • fax (optional)
• email (optional) • additional information (optional)

1/2

First page

Computer skills

category 1	xxx, yyy, zzz	category 4	xxx, yyy, zzz
category 2	xxx, yyy, zzz	category 5	xxx, yyy, zzz
category 3	xxx, yyy, zzz	category 6	xxx, yyy, zzz

Interests

hobby 1 Description

hobby 2 Description

hobby 3 Description

Extra 1

- Item 1
- Item 2
- + Item 3

Extra 2

- o Item 1
- o Item 2
- o Item 3
- o Item 4
- o Item 5

street and number - postcode city
mobile (optional) • phone (optional) • fax (optional)
• email (optional) • additional information (optional)

2/2

Second page

Résumé Exemples

A Command definitions

```
\cvcomputer {1.} {2.} {3.} {4.}
1 CONTENT
2 CONTENT
3 CONTENT
4 CONTENT
```

```
\cventry {1.} {2.} {3.} {4.} {5.} {6.}
1 CONTENT
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT
```

```
\cvlanguage {1.} {2.} {3.}
1 CONTENT
2 CONTENT
3 CONTENT
```

```
\cvline [1.] {2.} {3.}
1 DIMENSIONAL OPTIONAL
2 CONTENT
3 CONTENT
```

```
\cvlistdoubleitem [1.] {2.} {3.}
1 TEXT OPTIONAL
2 CONTENT
3 CONTENT
```

```
\cvlistitem [1.] {2.}
1 TEXT OPTIONAL
2 CONTENT
```

Command definitions

```
\startresume [...,*,...] ... \stop  
* inherits from \setupresume
```

```
\
```

```
\
```

```
\
```

```
\
```

```
\
```

```
\
```

```
\cvcomputer {...} {...} {...} {...}  
1 CONTENT  
2 CONTENT  
3 CONTENT  
4 CONTENT
```

```
\
```

```
\
```

```
\
```

```
\
```

```
\
```

B File versions

The letter module comes as a package with many different files and each of them has their own version tag, you could read this version tag at the bottom of each file in the field date.

File	Revision	Description
t-correspondence.tex	2009.10.07	Core module
t-letter.tex	2009.10.07	Letter Module
t-resume.tex	2009.02.12	Résumé Module
default.nli	2009.07.23	Default letter interface
pragma.nli	2009.07.18	m-letter.tex Interface
knuth.nli	2009.09.21	letter.tex Interface
default.nri	2009.06.30	Default resume interface
moderncv.nri	2009.09.20	moderncv resume interface
label.nle	2009.07.03	Text labels
corres.nle	2009.02.13	XML-Database
pragma.nle	2008.01.23	Examples from m-letter.tex
optimize.nle	2008.12.03	Page optimization
addrentry.nle	2008.12.26	ex addrentry support
dina.nls	2007.02.11	German style DIN 676 A
dinb.nls	2009.10.07	German style DIN 676 B
pragma.nls	2009.09.20	m-letter.tex style
knuth.nls	2009.02.13	letter.tex style
dutch.nls	2008.12.28	Dutch letter style
french.nls	2009.09.20	French letter style
english.nls	2008.03.13	English letter style
default.nls	2009.09.20	Basic style
blockstyle.nls	2008.11.29	Default block values
fullblock.nls	2008.12.16	Full-block
semiblock.nls	2008.12.16	Semiblock
modified.nls	2008.12.16	Modified block
hanging.nls	2008.12.25	Hanging intended
memo.nls	2009.09.21	Memo style
simplified.nls	2008.12.16	Simplified style
swiss.nls	2009.02.14	Swiss style

File versions

File	Revision	Description
swissleft.nls	2009.02.14	Swiss left style
default.nrs	2009.02.10	Default resume style
classic.nrs	2009.03.31	modercv classic style
casual.nrs	2009.03.31	modercv casual style
user.ori	2008.07.08	Example for user settings

C Labeltexts

The following table presents the text for all predefined labels in the module, only the labels for the *memo* style are not included.

Labeltexts

label	english	dutch	german
name	Name		Name
room	Room		Zimmer
yourref	Your ref.	Uw kenmerk	Ihr Zeichen
yourmail	Your letter of	Uw brief van	Ihre Nachricht vom
myref	Our ref.	Ons kenmerk	Unser Zeichen
mymail	Our letter of	Ons brief van	Unsere Nachricht vom
customer	Customer no.	Klant No.	Kundenummer
invoice	Invoice no.	Rekening No.	Rechnungsnummer
attention			
subject			
cc	cc	Kopie aan	Kopien an
enclosure	encl	Bijlage(n)	Anlagen
to	To	Aan	An
toname	To	Aan	An
from	From	Van	Von
fromname	From	Van	Von
date	Date	Datum	Datum
phone	Phone	Telefoon	Telefon
fax	Fax	Fax	Fax
email	Email	E-mail	E-Mail
url	Url	URL	URL
bank	Bank account	Bankrekening	Bankverbindung
organization	Organization		Organisation
city	City		Stadt
zip	Zip		PLZ
country	Country		Land
street	Street		Straße

Labeltexts

french	italian	spanish
Nom		
Salle		
Vos références	Vs./Rif.	Su ref.
Votre lettre du	Vs. lettera del	Su carta de
Nos références	Ns./Rif.	Nuestra ref.
Notre lettre du		
Numéro de client	Nr. cliente	No. de cliente
Numéro de facture	Nr. fattura	No. de factura
Concernant		
Copie à	Per conoscenza	Copias
Annexes	Allegato	Adjunto
À	A	A
À	A	A
De	Da	De
De	Da	De
Date	Data	Fecha
Téléphone	Telefono	Teléfono
Téléfax	Fax	Fax
Courriel	Email	Email
Site web	Sito Web	URL
Compte en banque	Conto bancario	Cuenta bancaria

Labeltexts

D Index

c

`\cc` 33
closing 15
copy 33

d

DIN 676 A 93
DIN 676 B 91

e

`\encl` 31
enclosure 31

f

fromaddress 23
fromname 23
Full-block 99

h

Hanging 107

m

Memo 109
Modified 101

n

NEN 1026 95

o

opening 15

p

postscript 29
`\ps` 29

s

`\setlettervalue` 16, 45
`\setuplabeltext` 47
`\setupletter` 45, 46
signature 27
subject 19
Semiblock 103
Simplified 105

t

toaddress 21
toname 21

Index

Index

